# **WEST Search History**

Hide Items Restore Clear Close

DATE: Tuesday, September 22, 2009

Hide?	Set Name	Query	<b>Hit Count</b>
Interference			
DB=	PGPB,USP	T,UPAD; PLUR=YES; OP=ADJ	
	L13	L10 and (optimizer.clm. or optim \$.clm.)	1
DB=PGPB; $PLUR=YES$ ; $OP=ADJ$			
	L12	L10 and (optimizer.clm. or optim \$.clm.)	1
DB=PGPB, USPT, UPAD; PLUR=YES; OP=ADJ			
	L11	L10 and (optimizer.clm. or optim @.clm.)	1
	L10	L9 and syntax.clm.	3
	L9	compil \$.clm. and (intrinsic function).clm.	10
	L8	20060195828	1
	L7	7337301.pn.	1
Prior A	rt		
DB = PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR = YES; OP = ADJ			
	L6	L5 and syntax	85
	L5	L4 and optimi\$	153
	L4	compil\$ and (intrinsic function)	213
	L3	L1 and (intrinsic function)	44
	L2	10/807374	1
	L1	717/140-144,151-154.ccls.	3400

END OF SEARCH HISTORY

Web Images Videos Maps News Shopping Gmail more •

Search settings | Sign in

compiling "intrinsic function"

Search

Advanced Search

Web Show options...

Results 1 - 10 of about 25,800 for compiling "intrinsic function". (0.38 seconds)

## HP 3000 Manuals

159 COMPILE-TIME Illegal number and/or types of arguments to ERROR intrinsic function CAUSE The number or types of arguments to an intrinsic routine are ...

docs.hp.com/cgi-bin/doc3k/B3150190021.12118/210 - Cached - Similar

## Why pgf90 can not recognize some intrinsic function when compiling?

Nov 26, 2005 ... Here below is some part of the codes: ... such codes can be compiler by compaq visual fortran, ...

coding.derkeiler.com/Archive/Fortran/.../msg01018.html - Cached - Similar

## Issue 17 - Ilvm-py - calling LLVM intrinsic function fails ...

I've been trying to get Ilvm-py to compile on my Mac (OS X 10.4.11. ... How do I call an LLVM intrinsic function? Andrew dalke@dalkescientific.com ...

code.google.com/p/llvm-py/issues/detail?id=17 - Cached - Similar

## Intrinsic function - Wikipedia, the free encyclopedia

In compiler theory, an intrinsic function is a function available in a given ... when compiling for 64 bit Windows, therefore intrinsics are necessary. ...

en.wikipedia.org/wiki/Intrinsic function - Cached - Similar

## Tobias Burnus - [patch, fortran] fixes for the EXIT intrinsic ...

Feb 23, 2007 ... gfortran.dg/subroutine-exit-compile.f90: New test. .... Re: [patch, fortran] fixes for the EXIT intrinsic function (PR30933) ...

goc.gnu.org/mi/fortran/2007-02/msg00538.html - Similar

## JPDFJ Microsoft PowerPoint - 20090308 GPGPU2 bjang2

File Format: PDF/Adobe Acrobat - View as HTML

Mar 8, 2009 ... compile. (b) after using intrinsic dot function. Use of Intrinsic Function t5 = t12.x \* vx.x + t12.y \* vx.y; t6 = t12 \* vy.x + t12.y \* vy.y; ...
www.ece.neu.edu/groups/nucar/GPGPU/GPGPU-2/Jang.pdf - <u>Similar</u>

## Debug annotations - US Patent 6874140 Claims

generating annotation information from an intrinsic function call in the source code, ... compiling the executable computer program, wherein the annotation ...

www.patentstorm.us/patents/6874140/claims.html - Similar

#### Intel® Fortran compiler - random number intrinsic function RAN ...

Mar 9, 2009 ... The Intel Fortran compiler elemental intrinsic function RAN will ... the sample program above and compiling with the Intel Fortran compiler, ...

software.intel.com/.../the-intel-fortran-compiler-random-number-intrinsic-function-ran-maymalfunction/ - Cached - Similar

## Using math-oriented callable services

If you compile using ARITH(EXTEND), CEESQACS returns the same result as ACOS. ... Both the RANDOM intrinsic function and CEERAN0 service generate random ...

publib.boulder.ibm.com/infocenter/.../com.../tpari37a.htm - Cached - Similar

## (Complete) Compile-Time Error Chart for Macintosh QuickBasic (43020)

14 Missing argument An intrinsic function was called without enough arguments. 15 Numeric overflow This occurs when an expression resolved at compile time ... basic.phatcode.net/kbase/macqb/aeozo.htm - Cached - Similar

> 1 2 3 4 5 6 7 8 9 10 Next

Web Images Videos Maps News Shopping Gmail more •

Search settings | Sign in



compiling "intrinsic function"

Search

Advanced Search

Web Show options...

Results 11 - 20 of about 25,800 for compiling "intrinsic function". (0.06 seconds)

rdtsc() intrinsic function in Windows server 2003 sp1 DDK ...

10 posts - 2 authors

Hi, does anyone know how to make use the \_\_rdtsc() **intrinsic function** defined in ... what do we need to do additionally for x86 build to **compile** correctly? ...

www.techtalkz.com/.../252585-\_\_rdisc-intrinsic-function-windows-server-2003-sp1-ddk.html - Cached - Similar

## VC++ 2005 Beta 2 (.NET & Winsock)

7 posts - 2 authors - Last post: Aug 24, 2005

I tried **compiling** the following simple code with cl /CLR:pure ... The function uses inline assembler or an unsupported **intrinsic function** ...

social.msdn.microsoft.com/.../2d626bef-d1c6-4855-bb9c-6b7ab0846250 - Cached - Similar

#### Intrinsic function and xc16x.h header

5 posts - 2 authors - Last post: Jan 6, 2005

I cannot get through a problem concerning the **intrinsic function** ... The **compiling** fails. Also, using both of them will obviously fail, ...

www.keil.com/forum/docs/thread5477.asp - Gached - Similar

#### File fordef.for and Its Usage

You can **compile** this program with any value of -fpen. **Intrinsic function** FP\_CLASS helps to find and replace denormalized numbers with zeroes before the ...

www.ncsa.lllinois.edu/.../Compilers/8.1/f.../ug1l\_fordef.htm - Cached - Similar

## can't include \_alloca as an intrinsic function - .NET Framework ...

5 posts - 3 authors - Last post: Dec 4, 2006

**compile** my code with the include of <malloc.hl have no problem but .... The "real" **intrinsic function** are documented here ...

bytes.com/.../567412-cant-include\_alloca-intrinsic-function - <u>Cached - Similar</u>

#### IPPTI DAC Presentation kit

File Format: Microsoft Powerpoint - View as HTML

Develop C/C++ code with Intrinsic function calls; Compile and link the C/C++ code and the DSP Simulator to form a Matlab executable file; Debug and evaluate ...

videos.dac.com/42nd/slides/36-2.ppt - Similar

#### Solaris Developer

Jun 22, 2007 ... You can tell that this is a non-standard intrinsic by **compiling** with ... be used as an **intrinsic function** if you use the -xknown\_lib flag. ...

blogs.sun.com/.../entry/new article fortran library functions - Cached - Similar

Extending LLVM: Adding instructions, intrinsics, types, etc.

Jump to <u>Adding a new intrinsic function</u>: Adding a new intrinsic function to LLVM is much easier ... If your new node can be evaluated at **compile** time ...

Ilvm.org/docs/ExtendingLLVM.html - Cached - Similar

## Intrinsic function numval returns erroneous results - System ...

10 posts - 4 authors - Last post: Jul 25, 2007

After you raised the **Intrinsic function** question, I'm encouraged to ... 3)Try to **compile** the program using exactly same Parameters as in ...

forums.systeminetwork.com/isnetforums/showthread.php?t... - Cached - Similar

## Matthias Kretz - Re: SIMD intrinsic function " mm\_store\_si128 ...

Aug 24, 2009 ... Try compiling with -msse4a instead. Dunno what you're working on, ... What's the legal intrinsic function in GCC to store a m128i vector ...

gcc.gnu.org/ml/gcc-help/2009-08/msg00257.html - Cached - Similar